


	Product Information XZS65-50-125/30(EN733)	Manufacturer	LEO
		Address	China,Zhejiang,Wenling
		Contact	0576-89988888
		Date	2024/05/06
Project Name	Luis Guajardo	Client Name	Koslan
		Client Addr.	Chile
Item NO	XZS65-50-125 30	Contacts	Luis Guajardo
		Contact	


Part NO.	XZS65-50-125/30(EN733)			
Product Picture		Note		
		XZS series pumps are Stainless steel end suction singlestage centrifugal pump. Stamping(stretching, expansion, cold extrusion) & welding and other advanced production process are adopted. Components have high interchangeability. Suitable for small flow, high lift. Has the advantages of beautiful appearance, compact structure, high efficiency, energy saving, durability, light corrosion resistance, low noise, etc..		
Nameplate parameters				
flow	40 m³/h			
head	18 m			
speed	2900 rpm			
number of stages	1			
Technical				
Curve tolerance	ISO9906 A			
Maximum lift (m)	22.5			
Maximum use flow (m³/ h)	72			
Material				
Impeller	AISI304			
Pump inlet	AISI304			
chassis	ADC12			
Mechanical seal	20Y-25			
Back cover	AISI304			
Rear end cover	ADC12			
Bracket	HT200			
Working conditions				
Max. ambient temperature (°C)	40			
Max. liquid temperature (°C)	80			
Pumped medium				
Working pressure	10bar			
Installation				
Inlet & Outlet Diameter	65-50			
Connection standard	//			
Structure Drawing	2-XZS--			
Motor				
Motor phase	Three phase			
Protection class	IP55			
Motor poles	2			
Insulation class	F			
Motor power (KW)	3KW			
Frequency	50			
Rated voltage (V)	380			
Rated current (A)	6.2			

	Product Information XZS65-50-125/30(EN733)	Manufacturer	LEO
		Address	China,Zhejiang,Wenling
		Contact	0576-89988888
		Date	2024/05/06
Project Name	Luis Guajardo	Client Name	Koslan
		Client Addr.	Chile
Item NO	XZS65-50-125 30	Contacts	Luis Guajardo
		Contact	

Efficiency class	IE2
Drive end bearing	6306
Non-drive end bearing	6206
Weight/Packaging	
Gross weight (kg)	45
Package size	585*335*405




	Performance Curve XZS65-50-125/30(EN733)	Manufacturer	LEO
		Address	China,Zhejiang,Wenling
		Contact	0576-89988888
		Date	2024/05/06
Project Name	Luis Guajardo	Client Name	Koslan
		Client Addr.	Chile
Item NO	XZS65-50-125 30	Contacts	Luis Guajardo
		Contact	




	Pump Technical Parameters XZS65-50-125/30(EN733)	Manufacturer	LEO
		Address	China,Zhejiang,Wenling
		Contact	0576-89988888
		Date	2024/05/06
Project Name	Luis Guajardo	Client Name	Koslan
		Client Addr.	Chile
Item NO	XZS65-50-125 30	Contacts	Luis Guajardo
		Contact	

Rated parameters	
Pump model	XZS65-50-125/30(EN733)
Part NO.	XZS65-50-125/30(EN733)
Rated flow	40 m³/h
Rated head	18 m
Rated efficiency (%)	70
Power (kW)	2.8
Speed (rpm)	2900
Max impeller diameter (mm)	130
Medium	
Pumped medium	Clean Water
Working temperature (°C)	20
Medium density (kg/m³)	1000
Viscosity (mm²/s)	1



	Installation picture XZS65-50-125/30(EN733)	Manufacturer	LEO
		Address	China,Zhejiang,Wenling
		Contact	0576-89988888
		Date	2024/05/06
Project Name	Luis Guajardo	Client Name	Koslan
		Client Addr.	Chile
Item NO	XZS65-50-125 30	Contacts	Luis Guajardo
		Contact	



	Order Data XZS65-50-125/30(EN733)	Manufacturer	LEO
		Address	China,Zhejiang,Wenling
		Contact	0576-89988888
		Date	2024/05/06
Project Name	Luis Guajardo	Client Name	Koslan
		Client Addr.	Chile
Item NO	XZS65-50-125 30	Contacts	Luis Guajardo
		Contact	

Pump model XZS65-50-125/30(EN733)
Part NO. XZS65-50-125/30(EN733)
Product price
Quantity 1
Total price

Inquiry notes

