


	Product Information XZS65-50-125/40(EN733)	Manufacturer	LEO
		Address	China,Zhejiang,Wenling
		Contact	0576-89988888
		Date	2024/05/06
Project Name	Luis Guajardo	Client Name	Koslan
		Client Addr.	Chile
Item NO	XZS65-50-125 40	Contacts	Luis Guajardo
		Contact	

Part NO.	XZS65-50-125/40(EN733)		
Product Picture		Note	
		XZS series pumps are Stainless steel end suction singlestage centrifugal pump. Stamping(stretching, expansion, cold extrusion) & welding and other advanced production process are adopted. Components have high interchangeability. Suitable for small flow, high lift. Has the advantages of beautiful appearance, compact structure, high efficiency, energy saving, durability, light corrosion resistance, low noise, etc..	


Nameplate parameters			
flow		50 m³/h	
head		20 m	
speed		2900 rpm	
number of stages		1	
Technical			
Curve tolerance		ISO9906 A	
Maximum lift (m)		25.5	
Maximum use flow (m³/ h)		72	
Material			
Impeller		AISI304	
Pump inlet		AISI304	
chassis		ADC12	
Mechanical seal		20Y-25	
Back cover		AISI304	
Rear end cover		ADC12	
Bracket		HT200	
Working conditions			
Max. ambient temperature (°C)		40	
Max. liquid temperature (°C)		80	
Pumped medium			
Working pressure		10bar	
Installation			
Inlet & Outlet Diameter		65-50	
Connection standard		//	
Structure Drawing		2-XZS--	
Motor			
Motor phase		Three phase	
Protection class		IP55	
Motor poles		2	
Insulation class		F	
Motor power (KW)		4KW	
Frequency		50	
Rated voltage (V)		380	
Rated current (A)		8.1	

	Product Information XZS65-50-125/40(EN733)	Manufacturer	LEO
		Address	China,Zhejiang,Wenling
		Contact	0576-89988888
		Date	2024/05/06
Project Name	Luis Guajardo	Client Name	Koslan
		Client Addr.	Chile
Item NO	XZS65-50-125 40	Contacts	Luis Guajardo
		Contact	

Efficiency class	IE2
Drive end bearing	6306
Non-drive end bearing	6206
Weight/Packaging	
Gross weight (kg)	48
Package size	585*335*405




	Performance Curve XZS65-50-125/40(EN733)	Manufacturer	LEO
		Address	China,Zhejiang,Wenling
		Contact	0576-89988888
		Date	2024/05/06
Project Name	Luis Guajardo	Client Name	Koslan
		Client Addr.	Chile
Item NO	XZS65-50-125 40	Contacts	Luis Guajardo
		Contact	




	Pump Technical Parameters XZS65-50-125/40(EN733)	Manufacturer	LEO
		Address	China,Zhejiang,Wenling
		Contact	0576-89988888
		Date	2024/05/06
Project Name	Luis Guajardo	Client Name	Koslan
		Client Addr.	Chile
Item NO	XZS65-50-125 40	Contacts	Luis Guajardo
		Contact	

Rated parameters	
Pump model	XZS65-50-125/40(EN733)
Part NO.	XZS65-50-125/40(EN733)
Rated flow	50 m³/h
Rated head	20 m
Rated efficiency (%)	74
Power (kW)	3.68
Speed (rpm)	2900
Max impeller diameter (mm)	136
Medium	
Pumped medium	Clean Water
Working temperature (°C)	20
Medium density (kg/m³)	1000
Viscosity (mm²/s)	1



	Installation picture XZS65-50-125/40(EN733)	Manufacturer	LEO
		Address	China,Zhejiang,Wenling
		Contact	0576-89988888
		Date	2024/05/06
Project Name	Luis Guajardo	Client Name	Koslan
		Client Addr.	Chile
Item NO	XZS65-50-125 40	Contacts	Luis Guajardo
		Contact	



	Order Data XZS65-50-125/40(EN733)	Manufacturer	LEO
		Address	China,Zhejiang,Wenling
		Contact	0576-89988888
		Date	2024/05/06
Project Name	Luis Guajardo	Client Name	Koslan
		Client Addr.	Chile
Item NO	XZS65-50-125 40	Contacts	Luis Guajardo
		Contact	

Pump model XZS65-50-125/40(EN733)
Part NO. XZS65-50-125/40(EN733)
Product price
Quantity 1
Total price

Inquiry notes

